

Certification Centre, Latvian Academy of Sciences,

1 Akadēmijas laukums, Rīga, Republic of Latvia, phone: +371 67212807, +371 67225996
E-mail: certcn@latnet.lv ; www.sertifikacijascentrs.lv

**CERTIFICATE OF CONFORMITY
OF THE FACTORY PRODUCTION CONTROL No 1327-CPR-1250**

In compliance with the Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction products

SikaPaver®

Admixtures for concrete (see Appendix 1 on page 2)

with parameters indicated in the Table below

At equal consistence (table 2.)	
Water reduction	In test mix $\geq 5\%$ compared with control mix
Compressive strength	At 7 and 28 day: test mix $\geq 110\%$ of control mix
Air content in fresh concrete	Test mix $\leq 2\%$ by volume above control mix

Applicable as admixtures for concrete, is produced by the manufacturer,

Sika Baltic, Ltd

to the address: 7 Piedrujas street, LV-1073, Rīga, Republic of Latvia.

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard


EN 934-2+A1:2012, T.2.

under system 2+ were applied and that

the factory production control is assessed to be in conformity with the applicable requirements.

This certificate was first issued on 29 January 2019 and will remain valid latest on 13 December 2026 as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

Rīga,
13 December 2023



I. Matiss
Chairman of the Board
Certification Centre Latvian Academy of Sciences
Dr. Habil. Eng.

